

<b>Año</b>	<b>Autores</b>	<b>Título</b>	<b>Revista</b>	<b>Página</b>
2021	Mantilla D, Ferreira-Prada CA, Galvis M, Vargas O, Valenzuela-Santos C, Canci P, Ochoa M, Nicoud F, Costalat V.	Clinical impact of Sim & Size® simulation software in the treatment of patients with cerebral aneurysms with flow-diverter Pipeline stents.	Interv Neuroradiol	2021 Dec 30;15910199211068668
2021	Oscar Eduardo Garcia Ledesma	Catéter balón con inversión del flujo vs. Protección con filtro Distal, durante la colocación de stent carotídeo (cas), experiencia De 7 años de un centro de referencia del nororiente colombiano.	Repositorio UNAB	
2022	Ruano J, Arcila J, Romo-Bucheli D, Vargas C, Rodríguez J, Mendoza Ó, Plazas M, Bautista L, Villamizar J, Pedraza G, Moreno A, Valenzuela D, Vázquez L, Valenzuela-Santos C, Camacho P, Mantilla D, Martínez Carrillo F.	Deep learning representations to support COVID-19 diagnosis on CT slices	Biomedica	2022 Mar 1;42(1):170-183
2021	Lubinus-Badillo F, Zuñiga-Hadechni EE, Valenzuela-Santos DM, Mantilla-Suarez JC, Ochoa-Vera ME, Vera-Campos SN, Villarreal-Ibañez ED, Carrillo MF.	Veno-Arterial Index (VAI)—A Promising Tool For Identifying Renal Transplant Rejection	Sage Journal	2021 Dec 14
2022	Garcia-Ledesma, D Mantilla, PA Correa-Ruiz, D D Vera, C Valenzuela-Santos, S Serrano-Gómez, A Reyes, M Galvis, CA Ferreira-Prada, O Vargas	Proximal balloon-guided catheter with flow inversion vs. distal filter protection during the carotid stent placement, a seven years experience in a Colombian reference center	Sage Journal	20 Mar 14;15910199221085363